



Business Edition - 996901B

Integriti Business is designed for Medium to Large Businesses, providing additional functionality for every day site security management.

(All functions & features of the Professional Edition are included in the Business Edition)

Features include:



Advanced Reports

While the base package of Integriti Professional includes some basic reporting functionality, the Advanced Reports feature enables customers to generate highly flexible, more detailed, and graphical based reports. Many sample Advanced Reports come standard, such as Contact Trace, Time on Site, Muster, User Access History and many more. For the technically minded, these sample reports can be used as templates to customise and generate other reports according to the needs of the customer. Alternatively, Inner Range offers a professional report writing service with quoted prices varying according to the complexity of the client's requirements.



CCTV Integration & License Plate Recognition (LPR) - Initial 32 Cameras

The CCTV Integration function allows various CCTV & License Plate Recognition (LPR) systems to be integrated into Integriti software and is enabled on a per camera basis. The Integriti Business Edition allows integration of up to 32 cameras, irrespective of the CCTV brand chosen. (extra Cameras can be added in lots of 8 - Part 996921) Please see Inner Range website for a list of compatible CCTV vendors and their respective integration capabilities.



Flexible Workstation / Client Options

The Integriti Business Edition includes an additional 5 client connections with flexible configuration options. Each client can be configured to be "Reserved" for a dedicated workstation, ensuring the Workstation is always available. Alternately Client connections can be "Reserved" for a particular Operator, this ensures the Operator is always able to login regardless of which workstation they are working from. Clients can also be configured to be "Floating"; this allows the client software to be installed on many workstations with up to 5 of them being connected concurrently. Client connections can easily be switched between Floating or Reserved by the system administrator at any time. (Concurrent Client / Workstation connections are shared with Web Server sessions)



Web Server Clients

The Web Client is a mobile friendly, responsive interface which provides access to the Integriti server using a standard web browser on desktop or mobile devices. Up to 5 concurrent Web Client sessions are available with the Integriti Business Edition. (Concurrent Web Client sessions are shared with Client / Workstation connections)



Active Directory Integration (Operators)

This feature enables Active Directory operator integration for Single Sign-On (SSO). Integriti operators are not required to enter an Integriti login username and password as their credentials will be validated with Active Directory based on their Windows login. The Single Sign-On authentication delivers fast and efficient use of the Integriti application. As a further benefit, Active Directory can provide comprehensive password management, including adherence to any global password policies that may have been deployed by the organisation.



Active Directory Integration (Users)

Active Directory Integration for Users allows the synchronisation of Users in the Integriti software with the same Users in Windows Active Directory. New Users and changes to Users in the Active Directory database are synchronised with the Integriti database in accordance with mapping tables which are pre-configured with the import configuration tool within Integriti. The integration is bi-directional, enabling user changes made in within Integriti to be written back to Active Directory. This means that Users need only be entered into one system which reduces operational and training costs, saves time, and improves data consistency.



Integriti Software Comparison

Features	CS	Express	Pro	Business	Corporate
User Management, System Programming, System Status, Programming History (Audit Trail)	✓	✓	✓	✓	✓
Hassle Free IP Connection with SkyTunnel. ^a	✓	✓	✓	✓	✓
Software Operator Permissions	✗	✓	✓	✓	✓
GateKeeper – A Dedicated Application for Daily End User Operations	✗	✓	✓	✓	✓
Additional Workstations / Clients (Floating or Fixed)	✗	✗	✓(2)	✓(5)	✓(30)
Support for Multiple Controllers	✗	✗	✓	✓	✓
Schematic Graphical Maps with Scalable Vector based graphics	✗	✗	✓	✓	✓
Alarm Management	✗	✗	✓	✓	✓
Smartphone-Server Interface	✗	✗	✓	✓	✓
Communicator - Email, SMS & Pager	✗	✗	✓	✓	✓
Photo ID Card Design	✗	✗	✓	✓	✓
Dynamic User Import Module (DUIM)	✗	✗	✓	✓	✓
Advanced Reports	✗	✗	✗	✓	✓
Web-based Client for Desktop or Mobile Devices (Responsive)	✗	✗	✗	✓	✓
CCTV Integration. ^b	✗	✗	✗	✓(32)	✓(Unlimited)
CCTV Licence Plate Recognition Integration	✗	✗	✗	✓	✓
Active Directory Integration - Operators	✗	✗	✗	✓	✓
Active Directory Integration - Users	✗	✗	✗	✓	✓
User Qualifications Manager	✗	✗	✗	✗	✓
Advanced Alarm Management, Alarm Escalation, Response Plans & Operator Challenge. ^c	✗	✗	✗	✗	✓
SNMP & Health Monitor	✗	✗	✗	✗	✓
Guard Tour Manager	✗	✗	✗	✗	✓
3rd Party Door Integration	✗	✗	Optional	Optional	Optional
Event Review I/O Communications	✗	✗	Optional	Optional	Optional
Milestone XProtect Access ACM Integration	✗	✗	Optional	Optional	Optional
Mobile Credential Management Integration	✗	✗	Optional	Optional	Optional
Modbus BMS Integration	✗	✗	Optional	Optional	Optional
KeyLocker / Locker Integration	✗	✗	Optional	Optional	Optional
Elevator Management Integration (Lift HLI)	✗	✗	Optional	Optional	Optional
Additional Server Node - HA / Load Spreading	✗	✗	Optional	Optional	Optional
Inner Range Mobile Reader Application	✗	✗	Optional	Optional	Optional
Biometric Management Integration	✗	✗	Optional	Optional	Optional
Intercom Integration	✗	✗	Optional	Optional	Optional
Visitor Management Integration	✗	✗	Optional	Optional	Optional
VingCard Integration	✗	✗	Optional	Optional	Optional
RightCrowd Enterprise Integration	✗	✗	Optional	Optional	Optional
Real-Time Location System (RTLS) Integration	✗	✗	Optional	Optional	Optional
Active User Rotation Module (AURM)	✗	✗	Optional	Optional	Optional
XML Integration (Technology Partner Program)	✗	✗	Optional	Optional	Optional
Software Dimensions					
	CS	Express	Pro		
Number of Controllers Supported. ^d	No Limit	1	No Limit	No Limit	No Limit
Number of Simultaneous Controller Connections. ^d	1	1	No Limit	No Limit	No Limit
Number of Doors Supported	250	16	16 ~ No Limit	16 ~ No Limit	16 ~ No Limit
Permitted Software Use	Installer Only	End User	End User	End User	End User

a. - SkyTunnel provides non-permanent connections between Integriti Controllers, Integriti software and the Integriti Mobile App.

b. - Business Edition includes 32 Cameras, which can be expanded further.

c. - Basic alert functionality is included as standard with the Professional & Business Editions. However, advanced alert functions such as Response Plans, Alert Escalations, Alert Reporting and Operator Challenge requires the Corporate Edition.

d. - Depending on the size and activity level of the system multiple servers may be required to support extremely large numbers of Controllers.

The expansion options and features listed below are available for Professional, Business and Corporate Editions and allow the system to be expanded to the customer's requirements.



Integriti Door License - 996940

The base packages of Integriti Professional, Business and Corporate include the connection of the first 16 Doors. Additional Door licenses are required (per door), where more than 16 Doors are needed. The Integriti server totals the number Doors across all Controllers that are connected to the server.



Integriti CCTV Extra 8 Cameras - 996921 (Integriti Business Edition Only)

The Integriti Business Edition allows integration of up to 32 cameras as standard. This expansion option allows additional Cameras to be added in lots of 8. Please see the Inner Range website for a list of compatible CCTV vendors and their respective integration capabilities.



Partitioned Systems - 996915

In an Integriti system Users (and other global entities) are synchronised across all of the hardware Controllers within the system. Partitioning the system allows for entities to exist solely within the partition they were created. Site Partitions can contain multiple Integriti Controllers (ISC) & (IAC) and are entirely isolated from each other while still being managed from a single Integriti Server. For example, each Partition can have its own local 'User 1' - and Card and PIN uniqueness is only enforced within a partition. (One 996915 Partition license is required per-partition)



Mimic Viewer - 996906

Mimic Viewer is a software-based mimic panel which is intended to work independently of Integriti. As a stand-alone installation Mimic Viewer is configured to connect directly to an Integriti Security Controller (ISC) or Integriti Access Controller (IAC). Mimic Viewer receives real time status and events directly from the Controller, and displays the status of these events dynamically on graphical maps providing an easy to see representation of alarms and system events to security personnel. (A Professional, Business or Corporate Edition is required for initial setup)



Inner Range Mobile Reader Application - 996907

The Inner Range Mobile Reader application is an Android smart-phone app that allows security personnel to visually view and verify cardholder details with a simple scan of a user's access card. The Mobile Reader can be used for on-the-spot identity verification, suspension of access rights and as a "check-in" reader for emergency mustering assembly points. (See page 21 for full details)



Optional Integrations

Optional integration features are available for Integriti Professional, Business or Corporate editions to provide high level communications interfaces between Integriti Software and various third-party products and systems.



3rd Party Door License - 996941

This licence allows the synchronisation of users and access permissions between Integriti and third-party door systems. The Integriti server provides control for both systems which allows operators to utilise it as a single point of administration for all events, users, and doors, including traditional hard-wired doors and wireless locking devices on the third-party system. Third-party doors are licensed on a per door basis.



Mobile Credentials Management Integration - 996964

The Mobile Credential Integration allows Integriti Software to connect to a Mobile Credential provider. This allows Integriti software Operators to allocate and manage Mobile Credentials from within the Integriti User editor. Please see the Inner Range website for a list of compatible Mobile Credential providers.



Event Review I/O Communications - 996931

This software module is in effect a TCP/IP or serial based bi-directional gateway to other systems. This licence allows the Integriti software to send a selected subset of Integriti event data to third party applications. It also allows the Integriti software to receive, process and action event data received from third party systems. The mechanism for this transaction is via an ASCII based text stream.



Locker/Key Locker Integration - 996934

This licence enables a bi-directional integration with various Locker or Key Locker systems. The integration facilitates user database synchronisation between Integriti and the Locker system as well as receiving alarms from the Locker system to leverage Integriti's powerful alarm management capabilities. See the Inner Range website for a full list of integrated Locker / Key Locker systems.



Intercom Integration - 996932

Intercom integration allows operators to manage intercom calls through Integriti software. Intercom calls can be answered, forwarded, initiated or closed with many other features available. Calls appear within the dedicated Intercom Call Queue display in Integriti. To enhance easy of control intercoms can be placed on Integriti maps. See the Inner Range website for a list of compatible Intercoms and their capabilities.

Optional Integrations



Modbus Slave Integration - 996968

The Integrati Modbus TCP Slave service allows certain states of Doors, Inputs, Auxiliaries, and Areas in the Integrati system to be read and written by sending messages from an external "Master" device that supports the Modbus protocol. The service supports mapping Integrati state and control points to Modbus Discrete Inputs and Coils (1-bit data types) respectively. For more detailed information about Modbus – Integrati Integration please refer to the Technical Guide on the Inner Range website (Modbus Input Registers and Holding Registers, 16-bit data types, are not currently supported or implemented)



Visitor Management Integration - 996935

This licence allows a Visitor Management system to push user/visitor information into the Integrati database. The Visitor Management system, therefore, can be the single front-end interface for enrolling visitors with no need to use the Integrati software for such tasks. User/visitor information can include the name, PIN number, card number, access permissions and a variety of other fields. See the Inner Range website for a full list of integrated Visitor Management Systems.



Biometric Management Integration - 996969

Integration between Integrati and Biometric reader management systems allows data such as user names and access permissions to be communicated from Integrati to the Biometric system software. Please see the Inner Range website for a full list of available integrations.



Biometric Export Licence for Morpho Manager Software - 996936

For specific Integration between Integrati Software and MorphoManager software by IDEMIA. For more information on MorphoManager please visit the IDEMIA website: <https://www.idemia.com/morphomanager>

Enterprise Optional Features

The following optional features deliver enterprise level functionality. Some of these features may be more complex to specify or deploy. It is, therefore, Inner Range's recommendation that security professionals consult with the Inner Range sales or support team to assist with the sales or deployment process.



Elevator Management Integration (Lift HLI) - 996933

This licence is required to facilitate a high-level interface between the Integriti server and the Lift server. This interface provides a specific set of functionalities depending on the Lift system and consultation with the Inner Range pre-sales team is therefore required. Inner Range offers high-level lift integration to various vendors other than Schindler however these integrations are enabled in the Integriti hardware controllers with the use of smart card licences. Please consult with the Inner Range pre-sales team for any high-level lift inquiries. Also see page 28 of the Product Catalogue for other lift vendors.



Additional Server Node - HA / Load Spreading - 996965

The Additional Server Node License allows multiple Integriti servers to be deployed and cryptographically paired to a single Integriti Database. Integriti client workstations and controllers can connect to any available Integriti server within the network, allowing for load spreading of larger systems or a high availability solution for the minimisation of potential system downtime and data loss. This solution allows for multiple servers within one location or split-site deployments where off-site disaster recovery solutions are required. It can also be used in conjunction with Microsoft Windows Server Failover Clustering (WSFC) and Microsoft SQL database clustering to create an entirely fault tolerant enterprise level high availability solution.



Milestone Access Control Manager (ACM) Integration - 996939

Integriti's high-level interface with Milestone's ACM is IP-based and bi-directional. ACM integration allows Milestone to be the single master "head end" security management platform, whereby Integriti functions as an access control and security sub-system. Cardholder information, alarms, and events, as well as door and area statuses in Integriti, are sent in real-time to Milestone. Operators are therefore empowered to effectively manage their security operation by seamlessly monitoring Integriti alarm and access points through Milestone. Operators may also unlock/lock doors and control areas with the added ability to associate doors and areas to cameras in Milestone, thus facilitating efficient situational awareness and immediate visual verification of alarms.



Real-Time Location System (RTLS) Integration - 996928

The RTLS integration allows the Integriti server to integrate with several RTLS providers. Locations of users and assets can be displayed within Integriti Schematic Maps or using Area and User filters. Alarm and Event information can be received and displayed in Integriti Review and Integriti can process the information in its automation and alarm management infrastructure. Please see Inner Range website for a list of compatible Real-Time Location Systems and their respective integration capabilities.



Active User Rotation (AURM) - 996956

This licence is used when there are more users in the software than the 100,000 that can be accommodated in the hardware Controllers. If this licence is deployed and a user presents their card to any reader in the system, but that user record cannot be found in the database of the local Controller, the Controller will interrogate the Integrati server to see if the user exists in the software database. If the user is valid in the software database, then access is granted immediately, and that user and their permissions are downloaded to that specific Controller overwriting the oldest user in that Controller.



VingCard Integration - VingCard as Master - 996937

VingCard is a system often deployed to provide access control for guests checking into rooms in hotels or apartment complexes. In facilities such as these, the Integrati system is also deployed to provide real-time monitored access control for the base building elements such as elevators, staff doors, service doors and car parks. Integration between VingCard and Integrati allows user card data to be sent from VingCard to Integrati, allowing guest or tenant access to doors managed by Integrati (such as lifts, perimeter doors, etc.)




XML API Integration

An XML licence is a mechanism which allows a third-party software writer to create a software product which can access the database of the Integrati software directly. This is done through a controlled XML/REST portal in the Integrati software designed specifically for this purpose. XML (Extensible Markup Language) is an IT industry standard language/protocol for the transmission of data between software applications.

XML licences can only be purchased after a Technology Partner Agreement has been executed by Inner Range and the potential developer. An application to become a Technology Partner with Inner Range can be made using the appropriate application form and requires a binding disclosure of the scope and purpose of the integration. Any XML interface licence issued can only be utilised for the purpose defined in the partner agreement.

XML Interface - READ - 996950 | XML Interface - WRITE - 996951 | XML Interface - CONTROL - 996952



Enterprise Optional Features



Inner Range Mobile Reader Application - 996907

The Inner Range Mobile Reader is an Android smartphone application that allows security personnel to view and verify cardholder details with a simple scan of a user's access card. Mobile Reader can be used for on-the-spot identity verification, suspension of access cards and as a "check-in" reader at emergency mustering assembly points.

Mobile Reader Main Features

- User Identification & Location Check:** On presentation of a valid card, Mobile Reader displays the user photo, user location, card status and additional user and card information. The information displayed can be configured from the Integriti server to include any user properties, card properties and custom fields such as Employee ID, Student ID, and Department. Mobile Reader can be set to the specific location or area where the smartphone is located. When user information is displayed, the user's location will be displayed in red if it does not match the device location. This allows security personnel to identify users that may have entered areas without authorisation.
- Suspending Cards:** If a user doesn't match the cardholder photo, security personnel can immediately suspend the card from the Mobile Reader application. The suspended card will no longer provide access to any doors until reactivated from the Integriti server.
- Emergency Muster:** In the event of an emergency, Mobile Reader can be used as a "check-in" reader at an emergency mustering assembly point. The operator can select a muster point location and areas that are being evacuated. Multiple smartphones running Mobile Reader can be used collaboratively during an emergency evacuation. As users present their cards at the "check-in" reader, their location is updated to the muster point. In muster mode, the app displays the number of users still inside the evacuation areas, the number of users at the muster point and the total number of users at all muster points. Mobile Reader provides a scrollable list of all users still inside an area or building as well as their last known location. Additionally, an operator can search for users by name to quickly determine their last known location. Access to this critical information provides emergency services with accurate information for a focused and timely response.



User Verification Features

- Display user photo, user location, card status and additional user and card information
- Display user and card custom fields
- Verify user location against device location
- Suspend user access cards

Muster Features

- Functions as a "check-in" reader at emergency mustering assembly points
- Supports multi-device coordinated mustering
- Selectable muster location
- Selectable evacuation areas and locations
- Dynamically displays the number of users still inside the evacuation areas, the number of users at the muster point and the total number of users at all muster points
- Scrollable list of users still inside the evacuation areas and their last known location
- User name search

Application Features

- Supports username and password login or biometric fingerprint login
- Displayed user and card information is configurable from the Integriti server
- Areas and locations can be grouped into Location Lists for site-wide mustering

Requirements

- Integriti Professional V18.1 or newer
- Android V7.0 Nougat or newer
- Smartphone with NFC capabilities
- Supports Inner Range SIFER and HID MIFARE DESFire© EV1 & EV2 cards.**
- Inner Range Mobile Reader – 996907 is licenced per mobile device connected to the Integriti server. Connected devices can be managed, activated or deactivated from the Integriti server.

**Requires SIFER Enrollment Station to identify card serial numbers of SIFER credentials.

Ordering Options

996907
Inner Range Mobile Reader Application
(one required per smartphone)

